







# **REQUEST FOR QUOTATION (RFQ)**

# for the Supply and Delivery of Planting Materials, Seeds, Fertilizers, Greenhouse Materials, Irrigation Systems, and Agricultural Tools & Equipment.

| RFQ No.:   | 7/T/2024        |
|------------|-----------------|
| Project:   | Sanet           |
| Country:   | Palestine       |
| Issued on: | 29 October 2024 |

| <b>RFQ Reference</b> | Date            |
|----------------------|-----------------|
| 7/T/2024             | 29 October 2024 |



## SECTION 1: REQUEST FOR QUOTATION (RFQ)

#### Dear Sir / Madam,

We kindly request you submit your quotation for the **"Supply and Delivery of Planting Materials, Seeds, Fertilizers, Greenhouse Materials, Irrigation Systems, and Agricultural Tools & Equipment**" as per the detailed ToRs attached in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

- $\Rightarrow$  Section 1: This request letter
- $\Rightarrow$  Section 2: RFQ Instructions and Data
- $\Rightarrow$  Annex 1: Schedule of Requirements
- $\Rightarrow$  Annex 2: Quotation Submission Form
- $\Rightarrow$  Annex 3: Technical and Financial Offer
- $\Rightarrow$  Annex 4: the almond breeding net materials for two units
- $\Rightarrow$  Annex 5: Irrigation system materials
- $\Rightarrow$  Annex 6: Plum seedling specifications and varieties and location

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using **Annex 2: Quotation Submission Form** and **Annex 3 Technical and Financial Offer**, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline.

Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Lorenzo Melozzi Signature:

Name: Lorenzo Melozzi

Title: Project Manager

Date: 29 October 2024



г

## SECTION 2: RFQ INSTRUCTIONS AND DATA

| Introduction                                   | <ul> <li>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by CIHEAM Bari.</li> <li>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by CIHEAM Bari. CIHEAM Bari is under no obligation to award a contract to any Bidder as a result of this RFQ.</li> <li>CIHEAM Bari reserves the right to cancel the procurement process at any stage without any liability of any kind for CIHEAM Bari, upon notice to the bidders or publication of cancellation notice on the CIHEAM Bari website.</li> </ul>  |
|--|---|
| Deadline for the<br>Submission of<br>Quotation | Monday, 01 December 2024  |
| Method of<br>Submission                        | <ul> <li>Email submission is the only one allowed and shall be governed as follows:</li> <li>a) Electronic files that form part of the proposal must be in accordance with the format and requirements indicated in RFP;</li> <li>b) Separate emails shall be used for the 'Financial proposal' and 'Technical proposal', and the financial proposal shall be encrypted with different passwords and clearly labelled.</li> <li>c) The files must be sent to the following email addresses: gareappalti@iamb.it and melozzi@iamb.it</li> <li>d) The password for opening the Financial Proposal should be provided only upon request of CIHEAM Bari. CIHEAM Bari will request password only from Consultants whose Technical Proposal has been found to be technically responsive. Failure to provide correct password may result in the proposal being rejected.</li> <li>e) The RFP number and name shall be inserted in the Subject Heading of the email.</li> <li>Failure to comply with the above may disqualify the Bid.</li> </ul> |
| Cost of preparation of quotation               | CIHEAM Bari shall not be responsible for any costs associated with a<br>Supplier's preparation and submission of a quotation, regardless of<br>the outcome or the manner of conducting the selection process.   |
| Gifts and<br>Hospitality                       | Bidders/vendors shall not offer gifts or hospitality of any kind to<br>CIHEAM Bari staff members including recreational trips to sporting or<br>cultural events, theme parks or offers of holidays, transportation, or<br>invitations to extravagant lunches, dinners or similar. In pursuance of<br>this policy, CIHEAM Bari: (a) Shall reject a bid if it determines that the<br>selected bidder has engaged in any corrupt or fraudulent practices<br>in competing for the contract in question; (b) Shall declare a<br>vendor ineligible, either indefinitely or for a stated period, to be   |

|  | awarded a contract if at any time it determines that the vendor has<br>engaged in any corrupt or fraudulent practices in competing for, or<br>in executing a CIHEAM Bari contract.  |
|--|---|
| Conflict of Interest                           | CIHEAM Bari requires every prospective Supplier to avoid and<br>prevent conflicts of interest, by disclosing to CIHEAM Bari if you, or<br>any of your affiliates or personnel, were involved in the preparation<br>of the requirements, design, specifications, cost estimates, and other<br>information used in this RFQ. Bidders shall strictly avoid conflicts with<br>other assignments or their own interests, and act without<br>consideration for future work. Bidders found to have a conflict of<br>interest shall be disqualified.<br>Bidders must disclose in their Bid their knowledge of the following: a)<br>If the owners, part-owners, officers, directors, controlling<br>shareholders, of the bidding entity or key personnel who are family<br>members of CIHEAM Bari staff involved in the procurement functions<br>and/or the Government of the country or any Implementing Partner<br>receiving goods and/or services under this RFQ.<br>The eligibility of Bidders that are wholly or partly owned by the<br>Government shall be subject to CIHEAM Bari's further evaluation<br>and review of various factors such as being registered, operated<br>and managed as an independent business entity, the extent of<br>Government ownership/share, receipt of subsidies, mandate and<br>access to information in relation to this RFQ, among others.<br>Conditions that may lead to undue advantage against other<br>Bidders may result in the eventual rejection of the Bid. |
| General<br>Conditions of<br>Contract           | Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract<br>General Terms and Conditions / Special Conditions for Contract.  |
| Special Conditions<br>of Contract              | <ul> <li>Cancellation of Purchase Order/Contract if the delivery/completion is delayed by 30 days</li> </ul>  |
| Joint Venture,<br>Consortium or<br>Association | If the Bidder is a group of legal entities that will form or have formed<br>a Joint Venture (JV), Consortium or Association for the Bid, they shall<br>confirm in their Bid that : (i) they have designated one party to act<br>as a lead entity, duly vested with authority to legally bind the<br>members of the JV, Consortium or Association jointly and severally,<br>which shall be evidenced by a duly notarized Agreement among<br>the legal entities, and submitted with the Bid; and (ii) if they are<br>awarded the contract, the contract shall be entered into, by and<br>between CIHEAM Bari and the designated lead entity, who shall be<br>acting for and on behalf of all the member entities comprising the<br>joint venture, Consortium or Association.  |
| Only one Bid                                   | The Bidder (including the Lead Entity on behalf of the individual<br>members of any Joint Venture, Consortium or Association) shall<br>submit only one Bid, either in its own name or, if a joint venture,<br>Consortium or Association, as the lead entity of such Joint Venture,<br>Consortium or Association.  |

|                                       | <ul> <li>Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</li> <li>a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or</li> <li>b) they have the same legal representative for purposes of this RFQ; or</li> <li>c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process;</li> <li>d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or</li> <li>e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.</li> </ul> |
|---------------------------------------|--|
| Duties and taxes                      | VAT Included   |
| Language of                           | English, Including documentation, catalogues, instructions and   |
| quotation                             | operating manuals.   |
| Documents to be<br>submitted          | <ul> <li>Bidders shall include the following documents in their quotation:</li> <li>Annex 2: Quotation Submission Form duly completed and signed</li> <li>Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1</li> <li>ANNEX 4: the almond breeding net materials for two units</li> <li>ANNEX 5: Irrigation system materials for 3 units</li> <li>ANNEX 6: Plum seedling specifications and varieties and location</li> <li>Company Profile.</li> <li>Registration certificate;</li> </ul>  |
| Period of Validity                    | Quotations shall remain valid for 30 days from the deadline for the  |
| of Quotes<br>Currency of<br>Quotation | Submission of Quotation.<br>■ Local Currency (NIS); or<br>■ EUR;<br>• Bank account in €uro is to be provided, if quoted in €uro<br>• Option of currency selection is left at the discretion of bidder<br>• Bidders are free to choose the currency of bid (EUR or NIS).<br>The currency of bid will be the currency of contract. It is up to the<br>bidders to manage the cash withdrawal from their own bank.   |
| Price variation                       | No price variation due to escalation, inflation, fluctuation in<br>exchange rates, or any other market factors shall be accepted at<br>any time during the validity of the quotation after the quotation has<br>been received.   |
| Partial Quotes                        | ⊠ Only 01 (one) Lot.   |



| Alternative Quotes   | ⊠ Not permitted  |
|--|--|
| Payment Terms  | ■ 100% within 30 days after receipt of goods, works and/or services and submission of payment documentation.   |
|  | Written Acceptance of Goods based on full compliance with RFQ requirements   |
| Conditions for<br>Release of<br>Payment                                      | CIHEAM Bari shall have a reasonable opportunity to inspect all goods<br>and services. If the goods or services are not acceptable, Contractor<br>may be allowed to cure the work and/or products within a<br>reasonable time at no additional cost to CIHEAM Bari. Unless<br>otherwise provided hereunder, liability for payment shall be subject<br>to acceptance by CIHEAM Bari. |
| Contact person for<br>correspondence,<br>notifications and<br>clarifications | E-mail address:<br>Odeh Sabarneh: <u>odeh.alsabarneh@moa.pna.ps</u><br>Lorenzo Melozzi: <u>melozzi@iamb.it</u>   |
| Pre-Bid Meeting  | ⊠ N/A  |
| Clarifications   | Requests for clarification from bidders will not be accepted any later than 5 days before the submission deadline.   |
| Evaluation method  | Quotation will be evaluated based on the compliance with the technical specifications and the total cost of the goods (Quality and Cost Based Selection).  |
| Evaluation criteria  | <ul> <li>Full compliance with all requirements as specified in Annex 1</li> <li>Full acceptance of the General Conditions of Contract</li> </ul>   |
| Right not to accept<br>any quotation   | CIHEAM Bari is not bound to accept any quotation, nor award a contract or Purchase Order   |
| Right to vary<br>requirement at<br>time of award                             | At the time of award of Contract or Purchase Order, CIHEAM Bari<br>reserves the right to vary (increase or decrease) the quantity of<br>services and/or goods, by up to a maximum twenty-five per cent<br>(25%) of the total offer, without any change in the unit price or other<br>terms and conditions.   |
| Type of Contract to<br>be awarded  | Purchase Order/Contract  |
| Expected date for contract award.  | 04 December 2024   |
| Policies and<br>procedures   | This RFQ is conducted in accordance with CIHEAM Bari Programme<br>and Operations Policies and Procedures   |

## **ANNEX 1: SCHEDULE OF REQUIREMENTS**

| ltem<br>N° | Minimum<br>Technical<br>Requirements | Specifications  | Unit             | Q.ty            | Destination/<br>Responsible                                |
|------------|--------------------------------------|---|------------------|-----------------|--|
|            |                                      | d quality and samples shall be approved first and the rate ind    | clusive of assem | ıbling all iter | ns and fixing them properly in position in the             |
|            | estinations ING MATERIALS AND S      | SFEDS   |                  |                 |  |
| 1          | Azolla plant                         | Free from impurities and healthy                                  | Kg               | 3               | National Agriculture Research Center -<br>Bait Qad Station |
| 2          | Bunicam seedlings                    | Free from impurities and healthy                                  | Seedling         | 5000            | National Agriculture Research Center<br>Bait Qad Station   |
| 3          | Bunicam seedlings                    | Free from impurities and healthy                                  | Seedling         | 5000            | Ministry of Agriculture<br>Marj Naaja/Jericho              |
| 4          | Plums seedling                       | ANNEX 6: Plum seedling specifications and varieties and location) | seedling         | 950             | odeh sabarneh  |
| FERTILI    | ZERS & SOIL AMENDM                   | ENTS  |                  |                 |  |
| 5          | Organic fertilizers                  | Well-decomposed and free of weed seeds                            | Bag              | 10              | National Agriculture Research Center                       |
| 6          | Chemical fertilizers                 | Bio-fresh   | Bag              | 4               | Bait Qad Station   |
|            |                                      | امونياك   | bag 25kg         | 10              |  |
|            |                                      | سوبر فوسفات 8 اکیاس *25*120                                       | bag 25 kg        | 8               |  |
|            | Chemical &                           | نترات المغنيسيوم اكياس*25*120                                     | bag 25 kg        | 5               |  |
| 7          | organic fertilizers                  | حديد (سکسترين) 5کغم*90شيکل  | kg               | 5               |  |
|            |                                      | تيراسورب 10لتر *30 شيکل   | liter            | 10              |  |
|            |                                      | انفاز ايم 4كغم*100  | kg               | 4               |  |
|            |                                      | سماد عضوي (شاحم) 50کيس*25*30 شيکل                                 | bag 25 kg        | 50              | National Agriculture Research Center -                     |
|            |                                      | Pyraclostrobin + Boscalid   | liter            | 2               | _ Al_Aroub Station   |
|            |                                      | Copper Oxychloride + Mefenoxam                                    | liter            | 2               |  |
|            | Pesticides                           | Difenoconazole  | liter            | 1               |  |
| 8          | Generic Name                         | Triadimenol   | liter            | 2               |  |
|            | Generic Name                         | Deltamethrin  | liter            | 2               |  |
|            |                                      | Tea Tree Oil, Citronella  | liter            | 1               |  |
|            |                                      | Cyfluthrin  | liter            | 1               |  |



| GREEN | HOUSE & COVER MA                | TERIALS  |                  |     |  |
|-------|---------------------------------|--|------------------|-----|--|
| 9     | Plastic sheets                  | 0.3mm thickness  | Square<br>meters | 240 |  |
| 10    | Sand                            | Free from impurities   | Cubic<br>meters  | 10  |  |
| 11    | Concrete blocks                 | Supply and build the concrete blocks (40 cm high and 88 meters long)   | Square<br>meters | 35  |  |
| 12    | Greenhouse                      | Plastic-covered house (18m*15m). Supply and<br>installation of a plastic house supported by bases<br>made of 2" galvanized iron and fixed with concrete,<br>columns 2" long, 2.5 meters long, arches 1.25" thick,<br>arch width 7.5 meters, arch opening 8.5 meters,<br>gutters with 3-meter bricks, side veta made of<br>galvanized sheet metal, plastic roof, and sides<br>completely, and a complete side panel with a door<br>made of iron, 3 meters long, one meter wide. | Square<br>meters | 270 | National Agriculture Research Center<br>Bait Qad Station |
| 13    | Screen cover                    | 30% shading  | Square<br>meters | 300 |  |
| IRRIG | ATION AND WATER MA              | ANAGEMENT SYSTEMS  |                  |     | _  |
| 14    | Irrigation system               | Irrigation system for 3 units each one 5 donums see<br>ANNEX 5 : Irrigation system materials for thee units  | units            | 3   |  |
|       | & EQUIPMENT                     |  |                  |     |  |
| 15    | Excavator                       | Spiral backhoe excavator for seedlings   | Machine          | 1   |  |
| 16    | Grass-cutting<br>machine        | Steel-Three-in-one gasoline-powered multi-purpose grass-cutting machine  | Machine          | 1   |  |
| 17    | Tensiometer with<br>accessories | MATERIALS: C.A.B plastic, ceramic, neoprene, EPDM,<br>bronze, brass, stainless-steel,<br>TIP: Threaded replaceable tip, suited for all soil and<br>soilless mediums<br>DIAL SIZE: 2.5 in. (63 mm),<br>GAUGE CASE: AISI 304 Stainless steel membrane<br>vented case, IP 67,<br>GAUGE WINDOW: Polycarbonate with EPDM gasket<br>seal,<br>GAUGE DIAL: Scale of 0-40 cb (kPa), white with<br>contrasting blue markings,  | Tool             | 6   | National Agriculture Research Center<br>Al_Aroub Station |



|    |  | ACCURACY: +3-2-3% of gauge span, ASME B40.1<br>Grade B,<br>OPERATING TEMPERATURE: 33° to 150° F (0.5° to 65°<br>C),<br>WEIGHT: 12" (30cm) instrument: 0.97 lb (0.44 kg),<br>increasing 0.25 lb. (0.114 kg) per ft.,<br>DIMENSIONS:<br>Reservoir Section: 130 mm height, 55 mm diameter   |        |   |  |
|----|--|--|--------|---|--|
|    |  | Water Tube: 90 cm length, 22 mm diameter   |        |   |  |
| 18 | Pocket<br>Refractometer  | Handheld, digital refractometer, Range Brix 0.0-53.0<br>%, Resolution Brix 0.1%, Accuracy ±0.2%, Display<br>Type: LCD, Temperature Accuracy: ±1°C  | Tool   | 4 | National Agriculture Research Center<br>Al_Aroub Station |
| 19 | Digital Fruit<br>Firmness Meter with<br>ANVILS for different<br>fruits | Display accuracy: ± 0.5 Fff, Resolution: 0.1 Fff,<br>Graphic display: 102 * 64 PIXEL, Dimensions<br>(H*W*T):160 x 70 x 40 mm   | Tool   | 1 | National Agriculture Research Center<br>Al_Aroub Station |
| 20 | Juice Extractor  | Segment System, high juice yield, less foaming, powerful 150 Watt motor, easy to clean up,   | Device | 1 | National Agriculture Research Center<br>Al_Aroub Station |
| 21 | Leaf area meter  | Non-destructive measurement, Measures area,<br>length, width, and perimeter and calculates shape<br>factor and aspect ratio, High resolution of 0.1mm,<br>No calibration required, Stores up to 8,000 single<br>measurements, Easy to use, A lightweight and self-<br>contained instrument with built-in data logger and<br>LCD display, Rechargeable battery, Measures<br>objects up to USB port transfers data to computer | Device | 1 | National Agriculture Research Center<br>Al_Aroub Station |
| 22 | Chopping<br>machine  | <ul> <li>Small scale machine.</li> <li>Cutting blades for Straw, leaves, trees and<br/>brush up to 1 inch in diameter.</li> <li>Feed chute with integrated equipment-<br/>moving handles and built-in e-stop safety<br/>shutoff.</li> <li>Power :3-5 KW</li> <li>Capacity: at least 1000 kg/hour</li> <li>Input Voltage: 220V/50HZ,230V/50HZ.</li> </ul>   | NO.    | 6 | Ministry of agriculture                                  |



|    |                            | • 1-year warranty.  |      |   |  |
|----|----------------------------|---|------|---|--|
| 23 | Pellet Making<br>Machine   | <ul> <li>Processing Technics: Crushing-before-Mixing</li> <li>Usage of the machine: It is used to produce pellet feed for, cattle, sheep, and goat.</li> <li>Input Voltage: 220V.</li> <li>Power: 2-5KW.</li> <li>Weight(kg): 100-150.</li> <li>Output (kg): 100-200.</li> <li>finished product size: 4-6mm.</li> <li>1-year warranty.</li> </ul> | NO.  | 6 | Ministry of agriculture                            |
| 24 | Small Scale Mixer.         | <ul> <li>Capacity: 200 -300 L</li> <li>Input Voltage: 220V.</li> <li>Motor power: 500-700 W.</li> <li>Motor speed: 2500- 3000 rmp/minute.</li> <li>Drum Speed : 25-30 rmp/minute.</li> <li>Drum Capacity: 150-250L.</li> <li>Wheels: 2 or 4 wheels.</li> </ul>  | NO.  | 6 | Ministry of agriculture                            |
| 25 | Electronic<br>Balance.     | <ul> <li>Input Voltage: 220V.</li> <li>Display: LED/LCD.</li> <li>Capacity: 500kg/600kg/800kg.</li> <li>Plate Size: 45*60cm/60*80cm</li> </ul>  | NO.  | 6 | Ministry of agriculture                            |
| 26 | Electric pruning<br>shears | <ol> <li>Cutting Diameter: 25mm</li> <li>Power: 400w</li> <li>Weight: 0.94kg</li> <li>Li-battery: 16.8V2Ah (Lithium Rechargeable<br/>Battery)</li> <li>Operating time: 2-3hours</li> <li>Replaceable upper and lower blade</li> </ol>   | Tool | 3 | Ministry of agriculture/ Jenin and north<br>Hebron |



|        |                               | 7. Charger feed voltage : 110~240v   |       |    |  |  |
|--------|-------------------------------|--|-------|----|--|--|
| 27     | Electric chain saw            | Model NO. FC-20D-68<br>Type Portable<br>Power Source Electricity<br>Supply Voltage220V<br>Saw Chain Speed4500m/Min<br>Guide Plate Size305cm<br>Scope of Application Outdoor Chopping<br>Specification2.6kg | Tool  | 3  | Ministry of agriculture/ Jenin and north<br>Hebron       |  |
| 28     | almond breeding<br>net        | Galvanized pipe, 2 inches, 2 mm thick, shaped like ^<br>The length of each arm 5 meters well welded and<br>perforated every 50 cm arms to pass the wire see<br>ANNEX 4: the almond breeding net materials  | units | 2  |  |  |
| SERVIC | SERVICE                       |  |       |    |  |  |
| 29     | Land preparation for planting | Deep plowing, leveling plowing, softening the soil,<br>using both workers and vehicles (JCB)   | hours | 50 | National Agriculture Research Center<br>Al_Aroub Station |  |

| DELIVERY CONTACTS       | Name Responsible | Phone      | Email                      |
|-------------------------|------------------|------------|----------------------------|
| Ministry of Agriculture | Odeh Sabarneh    | 0592090783 | Odeh.alsabarneh@moa.pna.ps |

## **Delivery Requirements**

## $\Rightarrow$ Delivery date and time

Bidder shall deliver the goods within 30 days after the Purchase Order/Contract signature.

- ⇒ Delivery Terms (INCOTERMS 2020) Deliver at Place Unloaded (DPU)
- ⇒ Customs clearance (must be linked to INCOTERM)
   ⊠ Supplier/bidder
   ⊠ Freight Forwarder
- ⇒ Distribution of shipping documents (if using freight forwarder) If required, will be communicated with the contractor

### ⇒ Packing Requirements

As per standard: up to the Contractor to ensure equipment supplied are intact/not tempered with. Damaged items will not be received and should be replaced with a new one of the same specifications.

⇒ Training on Operations and Maintenance Not required

## $\Rightarrow$ Warranty Period

As set in Minimum Technical Requirements

⇒ After-sales service and local service support requirements

Repair any damage within the warranty period at the contractor's cost (for Furniture)

### ⇒ Mode of Transport

Any mode: up to the contractor to decide so long as the equipment timeline is met



## ANNEX 2: QUOTATION SUBMISSION FORM

### **QUOTATION SUBMISSION FORM**

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it, and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

| Name of Bidder: |       |
|-----------------|-------|
| RFQ reference:  | Date: |

#### **Company Profile**

| Bank Name:           |
|----------------------|
| Bank Address:        |
| IBAN:                |
| SWIFT/BIC:           |
| Account Currency:    |
| Bank Account Number: |
|                      |

(a) Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate)

#### 

(b) Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate)

#### 🗆 Yes 🗆 No

(c) Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)

## 🗆 Yes 🗆 No

(d) Does your organization demonstrate a significant commitment to sustainability through some other means, for example, internal company policy documents on women empowerment, renewable energies, or membership of trade institutions promoting such issues (If yes, provide a Copy)

## 🗆 Yes 🗆 No

(e) Is your company a member of the UN Global Compact?

🗆 Yes 🗆 No

## **Bidder's Declaration**

The **bidder** hereby declares that I/we agree(s) to participate in the procurement procedure in adherence to the principles stated in CIHEAM Bari's Procurement Policy and Procedure and are fully aware that any failure to comply could lead to our exclusion from the tender process and to the rejection of our bid.

The **bidder** agrees to carry out our duties to the highest professional standards, with no consideration linked to possibilities for future contracts. The Tenderer commits to adhere to CIHEAM Bari's Procurement principles and minimum standards throughout our commercial and procurement activities and have procedures in place to ensure that respect for these principles and standards is upheld by our staff and contractors.

I/we hereby furthermore declare that the **bidder**:

- (a) is not subject to any conflict of interest in the ongoing procurement procedure for this contract and there has not been any misrepresentation in the information supplied along the process;
- (b) is not bankrupt or being wound up or having its affairs administered by the courts. It has not entered into an arrangement with creditors or suspended business activities and is not the subject of proceedings concerning those matters;
- (c) we or persons having powers of representation, decision-making or control over them have not been convicted of an offense concerning their professional conduct by a final judgment;
- (d) has never been proven guilty of any grave professional misconduct;
- (e) has not failed to fulfill their obligations relating to the payment of social security contributions or taxes in accordance with the legal provisions of the country in which they are established, or with those of the country where the contract is to be performed;
- (f) has never been convicted for fraud, corruption, illegal activity, involvement in a criminal organization, or money laundering by a final judgment.



- (g) does not make use of child labour or forced labour and/or practice discrimination, and/or disrespect the right to freedom of association and the right to organize and engage in collective bargaining pursuant to the core conventions of the International Labour Organization (ILO).
- (h) I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the CIHEAM, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
- (i) In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive, or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
- (j) I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.

I/we agree to hold in trust and confidence any information or documents disclosed to us, discovered by us or prepared by us during the course of the tender and agree that it shall be used only for the purposes of this process and shall not be disclosed to any third party. I/we understand that any unauthorized disclosure by us may render the **bidder** liable to legal action.

| Signature: |  |
|------------|--|
| Name:      |  |
| Title:     |  |
| Date:      |  |
| Title:     |  |



## ANNEX 3: TECHNICAL AND FINANCIAL OFFER

## **TECHNICAL AND FINANCIAL OFFER – GOODS**

Bidders are requested to complete this form, sign it, and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

| Name of Bidder: |       |
|-----------------|-------|
| RFQ reference:  | Date: |

| Currency of the Quotation: 🗆 NIS 🗆 EURO |             |   |    |            |             |  |
|---|-------------|---|----|------------|-------------|--|
|   | Description | Q | ty | Unit price | Total price |  |
| 1.                                      |             |   |    |            |             |  |
| 2.                                      |             |   |    |            |             |  |
| 3.                                      |             |   |    |            |             |  |
| 4                                       |             |   |    |            |             |  |
| 5                                       |             |   |    |            |             |  |
| 6.                                      |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
|   |             |   |    |            |             |  |
| Total Find                              |             |   |    |            |             |  |



## ANNEX 4: THE ALMOND BREEDING NET MATERIALS FOR TWO UNITS

## almond breeding net materials

| halhoul | Jinin | Specifications  | Quantity | Unit   | tem              |
|---------|-------|---|----------|--------|------------------|
| 200     | 200   | ماسورة مقلفن 2 انش وسمك حديد 2 ملم على شكل ^ طول كل ذراع 4 متر ملحومة بشكل جيد و        | 400      | Pipe   | Pipes            |
|         |       | مثقبة كل 50 سم الذر اعيين لمرور السلك   |          |        |                  |
|         |       | Galvanized pipe, 2-inch diameter, 2 mm thickness, shaped as ^,                          |          |        |                  |
|         |       | 4 meters per arm, well welded, perforated every 50 cm for wire.                         |          |        |                  |
|         |       | مثبت على نقطة اللحام مربط خاص لشد الريشت  |          |        |                  |
|         |       | Secured at the welding points with a special bracket for mesh tensioning.               |          |        |                  |
| 100     | 1000  | سلك تعريش سمك 3 مل مجلفن نص بولاد (كيلو من 18-20 متر طول)                               | 2000     | Kg     | Tension wire for |
|         |       | Trellising wire, 3 mm thickness, galvanized, half-round (18-20 meters length per kilo). |          |        | fencing          |
|         |       |   |          |        | _                |
| 5000    | 5000  | ریشت اسو د مش 25 لنظلیل   | 10000    | Square | Shading mesh     |
|         |       | Black mesh, 25% shading.  |          | meter  |                  |

## **ANNEX 5: IRRIGATION SYSTEM MATERIALS FOR 3 UNITS**

| ltem<br>No. | Description  | Unit | Quantity | alaroup<br>S. | hahoul | jenin |
|-------------|--|------|----------|---------------|--------|-------|
| 1           | Supply drip laterals (16-3.8-30 at 1.0<br>bar), w.t 1.15 mm pressure<br>compensating   | m    | 1200     | 400           | 400    | 400   |
| 2           | Polyethylene pipe lateral closed<br>without emmieters 16mm w.t 1.15 mm   | m    | 3750     | 1250          | 1250   | 1250  |
| 3           | T 16-16-16   | No   | 750      | 250           | 250    | 250   |
| 4           | Supply 75mm OD Polyethylene<br>pipe(sub-mains), PN6 bars Price to<br>include the connecting and all the<br>necessary fittings.                     | m    | 300      | 100           | 100    | 100   |
| 5           | Supply End cap 75 mm.  | no.  | 3        | 1             | 1      | 1     |
| 6           | Supply 3" Ball valve (copper valve)<br>steel   | No   | 3        | 1             | 1      | 1     |
| 7           | Supply Hydrometer 3": Automatic<br>Metering Valve IR-900 BERMAD or<br>equal, Price to include the<br>connecting and all the necessary<br>fittings. | No   | 3        | 1             | 1      | 1     |
| 8           | Supply start cap 75 mm.  | No   | 3        | 1             | 1      | 1     |
| 9           | Supply 90 liters Fertilizer tank with all accessories Price to include the connecting and all the necessary fittings.                              | No   | 3        | 1             | 1      | 1     |
| 10          | Supply 50" filter semi-Automatic<br>plastic Amiad 120 mesh or equal to.<br>with all fittings needed for installation.                              | No   | 3        | 1             | 1      | 1     |
| 11          | Supply suddel 75-3\4"  | No   | 90       | 30            | 30     | 30    |
| 12          | Supply male adabter 3\4"-16  | No   | 90       | 30            | 30     | 30    |

### PREAMBLE

- All materials and equipment supplied shall be fit for irrigation with irrigation water and new, free of defect, of high quality and meet the specifications.
- The pipe and all required fittings should satisfy Ps-196-2-2011 standard.
- 5 years manufacturing warrantee for all materials and equipment supplied
- Manifold grommets, grommets take-off adaptors, and all other push-fit equipment shall be tight and leak-free at the design operation head.
- Emitters shall discharge the designed (required) amount of water at 1.0 1.5 bars. Inaccurate or poorly finished emitters will be rejected and the Supplier will be required to replace those so rejected free of charge.



### ANNEX 6: PLUM SEEDLING SPECIFICATIONS AND VARIETIES AND LOCATION

- 1. The seedlings should be of known origin and taste, labeled with the variety, origin, and age.
- 2. The seedling should be grafted onto a well-irrigated seedling rootstock (any suitable variety).
- 3. The seedling must be free from any diseases or pests, especially root rot, gummosis, nematodes, crown gall disease, and bark or wood borers.
- 4. The seedlings should be planted in bags with a capacity of 5 liters.
- 5. The grafting point must be at least 15 cm above the soil surface in the bag.
- 6. The height of the seedling above the grafting point should not be less than 50 cm.
- 7. The thickness of the seedling should not be less than 10 mm, measured 10 cm above the grafting point.
- 8. The scion thickness of the seedling should not be less than 8 mm.
- 9. The union between the rootstock and the scion must be good and compatible, without excessive swelling.
- 10. The seedlings should be upright and straight.
- 11. The trunk must be free from wounds, protrusions, and knuckles.
- 12. The root system should be healthy, well-developed, not twisted, and proportional to the size of the seedling.
- 13. A health certificate from the laboratory must be attached, proving the seedlings are free from crown gall disease.

| No. | Variety             | Rootstock | Al-Aroub<br>Station | Jenin | North<br>Hebron |
|-----|---------------------|-----------|---------------------|-------|-----------------|
| 1   | Late Centruosa      | GF677     | 20                  |       |                 |
| 2   | Early Centruosa     | GF677     | 20                  |       |                 |
| 3   | Early Nevianna      | GF677     | 20                  |       |                 |
| 4   | Mid-season Nevianna | GF677     | 20                  |       |                 |
| 5   | Late Nevianna       | GF677     | 20                  |       |                 |
| 6   | Shark Tooth         | GF677     | 20                  |       |                 |
| 7   | Red Bull Nose       | GF677     | 20                  |       |                 |
| 8   | Golden King         | GF677     | 20                  |       |                 |
| 9   | Black Amber         | GF677     | 20                  | 120   | 120             |
| 10  | Black Diamond       | GF677     | 20                  | 120   | 120             |
| 11  | Newkar              | GF677     | 20                  | 60    | 60              |
| 12  | Layla or Metli      | GF677     | 20                  |       |                 |
| 13  | Formosa             | GF677     | 20                  |       |                 |
| 14  | Laroda              | GF677     | 20                  |       |                 |
| 15  | Tiger               | GF677     | 20                  |       |                 |

Varieties and numbers of plum seedlings with places of supply

#### **Compliance with Requirements**

|   | You Responses          |                         |  |  |  |  |
|---|------------------------|-------------------------|--|--|--|--|
| Conditions  | Yes, we will<br>comply | No, we cannot<br>comply | lf you cannot comply, pls.<br>indicate counter – offer |  |  |  |
| Minimum Technical Specifications for all goods              |                        |                         |  |  |  |  |
| Delivery Term (INCOTERMS 2020 DPU)                          |                        |                         |  |  |  |  |
| Delivery to all locations as mentioned in Annex 1           |                        |                         |  |  |  |  |
| Warranty as set in Minimum Technical<br>Requirements        |                        |                         |  |  |  |  |
| Validity of Quotation (30 days)                             |                        |                         |  |  |  |  |
| Payment terms (net 30)                                      |                        |                         |  |  |  |  |
| Delivery Schedule (within 30 days after the purchase order) |                        |                         |  |  |  |  |

Having examined the RFQ Documents, the receipt of which is hereby duly acknowledged, we, the undersigned, offer the following goods/services, in conformity with the said bidding documents for the sum of as may be ascertained in accordance with the Quotation attached herewith and made part of this Bid.

We undertake, if our quotation is accepted, to deliver the goods in accordance with the delivery schedule specified in the RFQ documents

We agree to abide by this Bid for a period of [30] days from the RFQ closing date, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

We understand that you are not bound to accept any Bid you may receive.

Signature:

Name:

Title:

Date: